

## **ANNEX D**



**Cerep**

Le Bois L'Evêque  
BP 1  
86 600 Celle l'Evescault  
FRANCE

Tel: 33 (0) 5 49 89 30 00  
Fax: 33 (0) 5 49 43 21 70

From: **Gervais NELIAT, PhD**  
Date: **November 14, 2001**  
# pages: **6**  
Ref.: **01/GN/IM**  
Copies:

To: **Dr. William KERNS**  
Company: **CANFITE BIOPHARMA (USA)**  
Fax: **(00 1) 978 456 9976**

**Subject : Study # 5367**

Dear Doctor KERNS,

Please find attached the complete results of the above mentioned study. We they will meet with your approval.

You will receive the final report very soon.

Yours sincerely,

Gervais NELIAT, PhD  
Study Director

*Primer  
FYI.  
LOOKS GREAT!  
Bill*

*The information contained in this facsimile message is confidential and intended for the use of the individual named above.  
If you have received this facsimile by error, could you please return it to us by mail.*

Study report # 5367

p. 2/6

Table I

IC<sub>50</sub> and K<sub>i</sub> values determined for CF101(IB-MECA)  
and the reference compounds at the receptors studied

Receptors	CF101(IB-MECA)			Reference compounds		
	IC <sub>50</sub> (nM)	K <sub>i</sub> (nM)	(nH)		IC <sub>50</sub> (nM)	K <sub>i</sub> (nM) (nH)
A <sub>1</sub> (h)	> 1,000	-	-	DPCPX	6.3	3.8 (1.0)
A <sub>2A</sub> (h)	685	560	(0.8)	NECA	44	36 (0.8)
A <sub>2B</sub> (h)	47,600	42,300	(1.1)	NECA	853	759 (0.5)
A <sub>3</sub> (h)	0.68	0.47	(0.5)	IB-MECA	1.3	0.92 (1.0)

The information contained in this facsimile message is confidential and intended for the use of the individual named above.  
If you have received this facsimile by error, could you please return it to us by mail.



Study report # 5367

p. 3/6

COMPETITION CURVE OBTAINED WITH CF101(IB-MECA)  
AT THE HUMAN A1 RECEPTOR

IC50 &gt; 1000 nM




Figure 1

*The information contained in this facsimile message is confidential and intended for the use of the individual named above. If you have received this facsimile by error, could you please return it to us by mail.*



Study report # 5367

p. 4/6

COMPETITION CURVE OBTAINED WITH CF101(IB-MECA)  
AT THE HUMAN A2A RECEPTOR


 $IC_{50} = 685 \text{ nM}$  $nH = 0.8$ 

Figure 2

*The information contained in this facsimile message is confidential and intended for the use of the individual named above.  
If you have received this facsimile by error, could you please return it to us by mail.*

Study report # 5367

p. 5/6

COMPETITION CURVE OBTAINED WITH CF101(IB-MECA)  
AT THE HUMAN A2B RECEPTOR


 $IC_{50} = 47600 \text{ nM}$  $nH = 1.1$ 

Figure 3

*The information contained in this facsimile message is confidential and intended for the use of the individual named above. If you have received this facsimile by error, could you please return it to us by mail.*

Study report # 5367

p. 6/6

COMPETITION CURVE OBTAINED WITH CF101(IB-MECA)  
AT THE HUMAN A3 RECEPTOR

$IC_{50} = 0.68 \text{ nM}$   
 $nH = 0.5$




Figure 4

*The information contained in this facsimile message is confidential and intended for the use of the individual named above. If you have received this facsimile by error, could you please return it to us by mail.*